

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGIONI


J.F. KENNEDY FEDERAL BUILDING, BOSTON, MASSACHUSETTS 02203-2211

September 16, 1987

Mr. John Fleming, Chief Environmental Compliance AVCO Lycoming Textron 550 South Main Street Stratford, CT 06497

Re: Closure Plan for AVCO Lycoming Textron

Dear Mr. Fleming:



- 1. If portable roll-off boxes are to be used for the storage and transport of the filter cake and soils, these containers should also be lined with a synthetic liner to prevent leakage of liquids during storage and transportation.
- 2. The polyethylene ground cover that is to be used for temporary storage of the piping and pump station may not provide adequate control of run-on and run-off, unless it is specifically installed to do so. Also, the materials stored on this ground cover should be covered at all times, not only at night.
- 3. The design drawings should indicate that the membrane liner and the geotextile filter fabric will be anchored at the edges. The current drawings imply that these edges will not be anchored in any way, which could allow slippage of the material and resultant decrease in its performance.
- 4. The vegetated drainage channels should be located far enough away from the edge of the cap that any erosion in these channels will not threaten the integrity of the cap.

Please submit one copy of the revised plan to each agency by September 25, 1987.

If you have any questions concerning these comments please contact either Kenneth Feathers (203) 566-1847 or myself at (617) 223-1369 at your earliest convenience.

Sincerely,

Robert Leger

Environmental Scientist

CT Compliance and Enforcement Section

Carmine DiFilippo Metcalf and Eddy, Inc. P.O. Box 4043

Woburn, MA 01888-4043

Commander USAVSCOM

ATTN: AMSAV-EMC/Mr. Todd Riggs

4300 Goodfellow Boulevard St. Louis, MO 63120-1798

Kenneth Feathers CT DEP